



NACHI BEARINGS LTD



23124 CCK/C3W33 Bearing 2D drawings and 3D CAD models

4.724 Inch | 120 Millimeter x 7.874 Inch | 200 Millimeter x 2.441 Inch | 62 Millimeter SKF 23124 CCK/C3W33 Spherical Roller Bearings

Bearing No. 23124 CCK/C3W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	7.467
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3124 (Specify bore)
Withdrawal Nut	KM28
Inch - Metric	Metric
Long Description	120MM Tapered Bore; 200MM Outside Diameter; 62MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu
Other Features	Order adapter or



NACHI BEARINGS LTD

	withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	16.447
D	7.874 Inch 200 Millimeter
Adapter Part Number	SNW3124 H3124 HA3124 HE3124 (Specify bore) Inch H3124 (Specify bore) Millimeter
d	4.724 Inch 120 Millimeter
B	2.441 Inch 62 Millimeter
bore diameter:	120 mm
maximum rpm:	3400 RPM
outside diameter:	200 mm
operating temperature range:	Maximum of +390 ° F
overall width:	62 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	62 mm



NACHI BEARINGS LTD

dynamic load capacity:	510 kN
fillet radius:	2 mm
static load capacity:	695 kN
series:	231